

Chapter 14:

Innovative technology-based interventions for people with autism spectrum disorders

Christos Nikopoulos and Elias Tsakanikos

Introduction

During the last decade, there has been a shift in emphasis from language-based instruction to more visual instructional supports as a catalyst for learning in individuals with multiple disabilities and autism spectrum disorder (ASD) (eg. Bondy & Frost, 2001; Quill, 2000). This is due to extensive reports that individuals with ASD demonstrate enhanced performance in comparison to matched controls on simple visual search tasks that require detecting a target set among distracters (eg. Dawson *et al.*, 2007; Mottron, 2011; Simmons *et al.*, 2009). For instance, individuals with ASD generally perform well on the Wechsler Intelligence Scale for Children (WISC) Block Design test, the embedded figures test, visual search, and copying impossible figures as well as on the Raven's matrices (eg. Fugard *et al.*, 2011; Soulieres *et al.*, 2009).

Given the visual superiority of people with ASD, it is perhaps not surprising that the majority of current educational programmes for these individuals frequently employ visual supports. Picture prompts, photographic activity schedules, visual schedules, or videos appear to be appropriate and particularly motivating for these individuals (eg. Dawson *et al.*, 2000; Kamio & Toichi, 2000; Rao & Gagie, 2006; Shane & Albert, 2008).

Advances in information and communication technology (ICT) have led to a number of innovative applications (Doughty *et al.*, 2007), in which many of the above visual supports have been integrated, forming the design of

technology-based interventions for this population. A non-exhaustive list of examples includes the use of the internet, online communities, robotics, assistive and prompting devices, iPods, computer-aided instructions, video modelling, virtual reality, voice output communication devices, computer-training (affect, social cognition, language), telehealth, telemedicine, smart housing, home automation, computer-play and others (eg. Goodwin, 2008; Verdonck *et al*, 2011).

Technology-based interventions have been used to accommodate a wide range of different skills and deficits in individuals with ASD. Recent studies have attributed this to a number of factors.

- Among typically developing individuals, technology-based applications are widely used for leisure and educational purposes, as a result, they are perceived as social interaction interventions.
- Technology-based interventions enable the individual with ASD to participate in a meaningful way in the wider community life by facilitating new communication, socialising, learning, leisure and employment opportunities (Bolte *et al*, 2010).
- Technology-based interventions can serve as efficient and cost-effective tools as they remove, for example, the requirement to create and re-produce paper-based training aids (eg. Nikopoulos & Nikopoulou-Smyrni, 2008).
- It is common for people with ASD to respond to a restricted set of cues within an environment; a phenomenon known as stimulus over-selectivity (eg. Lovaas & Koegel, 1979; Rincover & Ducharme, 1987). Technology-based interventions can be utilised to bring relevant cues closer together, which can help people with ASD to follow respective cues and to discriminate between them. This is important to develop skills in imitative responding (eg. Morgan & Salzberg, 1992).
- Technology-based interventions can efficiently take advantage of the attention skills of individuals with ASD, which tend to be more sensitive to graphical presentations. Technology can be used to display and record a wide range of examples of visual stimuli and response variations (eg. Nally *et al*, 2000; Williams *et al*, 2002).
- Usually, interventions based on technology do not require high levels of social skills. This is particularly important for individuals with ASD, who typically present with a deficit of social skills (Reichow & Volkmar, 2010) and often experience discomfort within non-controlled social environments (Charlop-Christy *et al*, 2000).

- Individuals with ASD exhibit difficulties in situations involving environmental change, typically referred to as deficits in disruptive transition behaviour (APA, 2000). Technology-based interventions can be used to provide controlled responses and therefore serve as an efficient medium to present optimal, adaptive learning contexts while supporting the option to slowly and systematically increase the levels of complexity (Bolte *et al.*, 2010; Golan & Baron-Cohen, 2006).
- Finally, the use of technology-based interventions can strengthen the internal consistency and reliability of research evidence since behavioural measurement in training (such as recording of sequences, correct responses or assessment of complex behaviours) can be easily standardised. This allows for more confident comparison of data sampled across learners and sessions (Morgan & Salzberg, 1992).

Video modelling

Video modelling has been suggested as an effective and technologically advanced method for developing a variety of skills in individuals with ASD (eg. Bellini & Akullian, 2007; Corbett & Abdullah, 2005; Delano, 2007; Kagohara, 2010; Nikopoulos & Keenan, 2006; Schreibman *et al.*, 2000; Tereshko *et al.*, 2010; Wang *et al.*, 2011). It can be defined as the occurrence of a behaviour by an observer that is the same or similar to the behaviour shown by a model on a videotape (eg. Grant & Evans, 1994). The 'model' can be a peer, a sibling, an adult, or even oneself (Bellini & Akullian, 2007). The list of video modelling achievements is growing fast and includes, for example, teaching of generalised purchasing skills (Alcantara, 1994; Haring *et al.*, 1987; Haring *et al.*, 1995), daily living skills (Shipley-Benamou *et al.*, 2002), conversational skills (Charlop & Milstein, 1989; Charlop-Christy *et al.*, 2000; Sherer *et al.*, 2001), social language (expressive) skills (Baharav & Darling, 2008; Charlop *et al.*, 2010; Maione & Mirenda, 2006), generative spelling (Kinney *et al.*, 2003), perspective taking (Charlop-Christy & Daneshvar, 2003; LeBlanc & Coates, 2003), socially relevant behaviours and play skills (Baharav & Darling, 2008; Blum-Dimaya *et al.*, 2010; Boudreau & D'Entremont, 2010; D'Ateno *et al.*, 2003; Dauphin *et al.*, 2004; Gena *et al.*, 2005; Hine & Wolery, 2006; MacDonald *et al.*, 2005; MacDonald *et al.*, 2009; Nikopoulos & Keenan, 2003, 2004a, 2004b, 2007; Parsons, 2006; Reagon *et al.*, 2006; Simpson *et al.*, 2004; Sturmey, 2003; Taylor *et al.*, 1999), iPod use (Hammond *et al.*, 2010), generalised imitation skills (Kleeberger & Mirenda, 2010), or transitional behaviours (Cihak *et al.*, 2010).

Further, with a particular focus on adolescents and adults with ASD,

research has shown that video modelling can be an effective and promising method for teaching self-help, daily living and laundry skills (Horn *et al*, 2008; Lasater & Brady, 1995; Van Laarhoven *et al*, 2010), employment-related social skills (Morgan & Salzberg, 1992) or vocational skills (Allen *et al*, 2010). In this last study, Allen and colleagues used video modelling to teach four young men with ASD to use a mascot (ie. WalkAround®) and entertain customers in a large discount retail warehouse. All participants had either limited or no previous employment history. Appropriate use of the mascot comprised of waving, shaking hands, giving high-fives, moving the tongue, tail, ears or eyes, and jumping or shaking its body. Initially, participants watched two versions of a video model twice – scripted and naturalistic – and then returned to the main aisle of the store. In the scripted version (1.5 minutes long), the mascot was shown engaging in each of the targeted skills in isolation. Target skills were demonstrated both from the perspective of someone outside the costume and from the point-of-view of someone inside the costume. In the naturalistic version (4.5 minutes long), the mascot was shown using each of the targeted skills in a large retail warehouse on a busy weekend afternoon in a variety of combinations and sequences. Results demonstrated that video modelling was an effective way to teach young adults with ASD to perform a vocational task in a social setting. Each participant learned to shake hands, wave and interact with customers by waving their eyes, ears, and tail in ways that customers and managers found pleasing.

Critically, apart from video modelling being reported in the literature as an effective method for teaching a variety of skills to individuals with ASD, emerging evidence has suggested its effective use for eliminating challenging/problematic behaviours in children (eg. Nikopoulos *et al*, 2009; Schreibman *et al*, 2000). However, it has never been investigated as an approach for reducing challenging behaviours in adults with atypical development. This could possibly be achieved when potential reasons for the manifestation of challenging behaviours are identified and carefully considered and included in the construction of the videotapes. Thus, a functional behavioural assessment (FBA) procedure (eg. Bachmeyer *et al*, 2009; Delfs & Campbell, 2010; Dwyer-Moore & Dixon, 2007; Hanley *et al*, 2003; Manente *et al*, 2010; Matson & Wilkins, 2009; Matson & Minshawi, 2007) is initially conducted and the findings from it are used for the design of the videotaped scenarios. In a hypothetical example, functional behavioural assessment has suggested that the function of an individual's verbal aggression is to get attention from a member of staff during lunch. Based on this suggestion, in the video the model will be shown performing

an appropriate behaviour (verbal or gestural) in order to get the attention from the member of staff. A functional behavioural assessment is a precise description of a behaviour, its context, and its consequences, with the intent of better understanding the behaviour and those factors influencing it. It includes three approaches to assessment:

1. **Indirect assessment** consisting of structured interviews and checklists which have been developed to solicit information about situations in which problem behaviour occurs.
2. **Direct descriptive assessment**, involving direct observation of behaviour and the environmental situations in which it occurs. Opportunities are scheduled to observe and describe the target behaviour across a broad sample of environments and occasions with a focus on identifying functional relations between the target behaviour and the environment based on the A-B-C recording form (A: antecedent, B: behaviour, C: consequence). That is, an observer enters data whenever problem behaviour occurs: time and setting, problem behaviour, and events occurring immediately prior to and following the target behaviour. The data collected from these observations are analysed and one should look for trends in the occurrences of that behaviour, for stimuli that may be evoking it or the needs that the individual is attempting to fill by exhibiting this behaviour.
3. Finally, **experimental functional analysis** involves the systematic manipulation of environmental conditions in an artificial setting, to identify the variables that control and maintain challenging behaviours. Experimental control is deemed to be evident when a change in condition brings an associated change in behaviour (eg. Harvey *et al*, 2009). Although generally considered superior to other functional assessment methods, experimental functional analysis has known practical limitations and therefore it may be used only when data from the other two approaches are insufficient for the creation reliable hypotheses.

Computer-based training for individuals with ASD

According to a number of findings reported in the literature, the design of any computer-based device and program would involve a task analysis whereby the complex sequence of behaviours (tasks) in any given scenario are broken down into constituent elements in an effort to tailor the demands of the task to the individual needs of each child. This systematic

manipulation of the tasks would follow the rules of the scientifically validated strategy of Task Analysis (Baily & Wolery, 1984; Stokes *et al*, 2004). That is, a rather difficult scenario will be made easier by allowing children to experience selected parts of it (cf. *prompting*). Once the required behaviours in these parts are identified they can be taught to that child and the task of reconstructing the entire scenario for the child can begin. Undoubtedly, such training will also empower the treatment providers and/or parents of each child by learning how difficult behaviours can be effectively taught to their children with ASD (Keenan *et al*, 2000).

Computer-based programs and devices can allow the presentation of a simplified social environment and then a gradual increase in the complexity of social interactions. These are significant elements for the design of successful therapeutic programmes for children with ASD (Duquette *et al*, 2008; Goldsmith & LeBlanc, 2004; Robins *et al*, 2004b). In that sense, computer-based programs and devices could definitely be integrated into overall therapeutic programs, especially when they meet the following requirements:

1. Provision of multiple opportunities for children with ASD to imitate modelled behaviours should be a core component of any therapeutic program.
2. Any effective program should not demand the acquisition of advanced technical skills from the carers or treatment providers.
3. Multisensory interactions (auditory and visual information), controlled and structured environments, use of multi-level interactive functions, individualised use and independence, direction of observation to salient points are features that facilitate learning of children with ASD when working with computerised devices.
4. Any program has to be designed and conceived of as a set of rules that build on learning experiences in small logical steps (task analysis), progressing at a rate tailored to the needs of each child and incorporating immediate consistent consequences (eg. positive reinforcement) for responding.
5. Integral data collection is essential for assessing and monitoring children's progress.

Virtual reality/virtual environments

An area of application still in its infancy is the use of virtual reality (VR) environments in social skills training for individuals with ASD. Early studies have suggested that using interactive computer software could encourage language use (Colby, 1973; Goldenberg, 1979) and responsivity (Frost, 1981; Geoffrion & Goldenberg, 1981) and some suggested that social skills acquired in this way can generalise to other areas (Panyan *et al*, 1984). Children with ASD were reported as being more enthusiastic when working with computers than in a 'regular toy situation' & (Bernard-Opitz, 1989), probably because the computer may appear to make fewer demands on them than a human tutor (Jordan, 1988), and reduce stimulation to a level of input tolerable to the individual (Strickland, 1997).

One of the first reports on its application described two case studies to investigate the use of VR as an aid to learning in children with ASD. Neither child was classified as having high-functioning ASD and neither spoke nor understood many normal sentence structures. The two children were given an initial test involving recognising and tracking a moving car in a street scene. Neither had previously been able to learn to recognise and track a common object when taught in the conventional way. Both children were happy to practice this task in a virtual street scene on a head-mounted display, and the explanation given for their improvement on the task after the intervention was the controlled nature of the learning environment, which limited the stimulus load on the learners. It may also have helped that the children with ASD were not exposed to social stimulation while learning the task in the virtual environment.

The controlled nature of the learning environment was one of the reasons behind the creation of 'Returning Home' (Charitos *et al*, 2000), which presents children who have ASD with possible everyday activities that may take place when they return home. The house consists of five rooms, for example, a bathroom and kitchen, on two stories, and before attempting a task, such as washing hands, the child has the option of watching an avatar perform the tasks. As yet, no findings have been reported using this application.

Parsons and Mitchell (2002) make a strong case for utilising virtual environments (VE), in social skills training for people with ASD in spite of the inherent contradiction involved in using a training medium that reduces the need for social interaction. People with ASD have little aptitude for pretence so sometimes cannot role play, but VE provide an opportunity

to learn rules and basic skills, which can be repeatedly practiced before entering the real setting in which they are required (Volkmar & Klin, 2000).

This approach was tested in a study with a group of six teenagers with ASD, some of whom had an IQ in the intellectual disability range (Leonard *et al*, 2002). As a baseline assessment, they were shown a video of a real café and bus interior, and were asked to choose where they would sit and why. They then underwent an intervention in a virtual environment depicting a café similar to that shown in the video. They had to learn two rules about finding a seat: ‘when there is an empty table, you should sit there rather than with strangers;’ and ‘when there are no empty tables, you should ask if an empty seat is available or whether you can sit down’. The participants were then reassessed on the video task, and the remaining participants learnt the rules in the virtual café before repeating the video task. After training in the virtual café, the participants showed a significant improvement in ideal behaviour and in the social appropriateness of the reasons given. However, they could not generalise the rules from the café to the bus.

Strickland identified a series of VE characteristics that justify its use by individuals with ASD:

- VE can isolate children with ASD from their surroundings to help them focus on a specific situation.
- The complexity of a VE scene can be controlled.
- VE technology allows for the successive and controlled adjustment of an environment with the aim of generalising activities at different but similar settings.
- VE can be realistic, easily comprehensible, and at the same time less hazardous and more forgiving than a real environment when a mistake is made by the user.
- The present state of VR technology focuses on visual and auditory instead of haptic (touch) or other sensory stimuli. Specifically for ASD, vision and hearing have proven to be very effective in the development of abstract concepts (Jordan & Powell, 1990).

In addition, VE may be useful especially for children with ASD because of the facility they offer for aiding mental simulation through the process of experiential role play.

This application of rehabilitative VE could be criticised for exactly the same reasons that computer-based instruction for people with ASD has been criticised. Chen and Bernard-Opitz (1993) raised the possibility that computer-assisted instruction might be a hindrance to the development of social skills. To counteract this, software could be used with a teacher sitting alongside (Cromby *et al*, 1996). Howlin (1998) speculated that an over-reliance on computer interaction could lead to obsessive behaviour and a decline in real world interaction. The predictability of the software and the sense of control this may give could become appealing. Latash (1998), talking about a variety of users, warned that, if the rehabilitative VE is too safe and attractive, the person might be reluctant to re-enter the real world. Parsons and Mitchell (2002) advise that, to counteract this, VE could be made more flexible, with more interaction being demanded so that the VE is less predictable.

Robotics

Teaching of socially relevant behaviour to children with ASD through robotic tools is an area of emerging interest (eg. Barakova *et al*, 2009; Billard *et al*, 2007; Robins *et al*, 2004a, b, c). Anthropomorphic (human-like) or zoomorphic (animal-like) shaped autonomous robots have become of special interest. Since recent studies have indicated that robots may have a great potential in the therapy of children with ASD (eg. Dautenhahn & Werry, 2004; Michaud & Théberge-Turmel, 2002; Pierno *et al*, 2008; Werry *et al*, 2001a). Furthermore, robots may provide an opportunity for their use as a replacement of a parent/caregiver or therapist in the delivery of intervention (Barakova & Lourens, 2010). In most studies, robots perform simple behaviour with the purpose of provoking reciprocal human reaction.

Initial efforts: The AuRoRA project

The majority of the investigations in the area of robots come under the AuRoRA project (Autonomous Robotic platform as a Remedial tool for children with Autism), which started in 1998 and is led by Professor Dautenhahn (Werry & Dautenhahn, 1999). Its ultimate goal has been to explore the design space of interactive systems and to develop a socially interactive robotic system as a therapeutic tool for children with ASD (Dautenhahn & Werry, 2000). Thus far, within the AuRoRA project there have been three core studies and a few ancillary ones (eg, Robins *et al*, 2006) using:

1. An autonomous non-humanoid mobile robot (like a toy truck with heat sensors that could detect nearby children and had bumper switches that allowed it to reverse upon impact; Dautenhahn *et al*, 2003; Werry *et al*, 2001b).
2. A small stationary humanoid doll robot (an off-the-shelf doll with added motors, sensors and a simple processor that allowed the doll to move, sense movement, and even recognise gestures and respond to them (Robins *et al*, 2004a, 2004c; 2005a; 2005b; Billard *et al*, 2007).
3. A touch-sensitive screen (Davis *et al*, 2006).

An autonomous non-humanoid mobile robot

In a series of trials, children with ASD were given the opportunity to interact with a mobile robot called Labo-1. The robot was able to move in any direction on the floor, avoiding obstacles, including people, following a heat source and generating simple words and phrases. The children, aged 8–12, could approach, avoid, pick up, or even ignore the robot and walk away, or just lie on the floor. Basically, in a supervised setting, the robot would follow and be chased by the children, while at the same time producing brief utterances for those children who were able to respond to speech.

A small stationary humanoid doll robot (Robota)

The humanoid robot Robota was designed to cover the main limitation of the non-humanoid robot initially used in the AuRoRa project, which offered only a very small number of interactions with the child, such as spatial approach/avoidance turn-taking games. Thus, this small humanoid doll robot can further provide additional means of interaction, such as mimicking movements of body parts (eg. hands, head) and even more complex interactions (sequences and combinations of actions). It can move its arms, legs and head; however, it cannot move from place to place and cannot readily be picked up. The idea has been based on the assumption that bodily interaction in imitative interaction games is indeed an important factor in any child's development of social skills, and hence, teaching of such skills in a playful and exploratory way might help children with ASD in coping with the normal dynamics of social interactions. In a series of sessions in which, overall, 14 children with ASD aged 5–10 years old participated, Robota was dressed in a plain costume, and had simplified head features and was able to: 'dance' to pre-recorded songs; detect vertical

arm movements of the child and therefore to respond by lifting the right, left or both arms; learn and replay the action of a child when moving his/her limbs and the head.

A touch-sensitive screen (TouchStory)

This study used a touch-sensitive computer screen to explore ideas of narrative comprehension and expression in ways which were not necessarily verbal or textual. It differed from the ones mentioned above in that, while the child was free to stand or sit, he/she should be able to touch the screen or physical game and hence, interact with it. It also differed in that it was task-based in that the children were invited to play the game. Twelve children with ASD who were aged between five and 11 participated in a study wherein they were invited to make four stories with either laminated picture cards or draggable pictures on a touch-sensitive screen. It was seen as a collaborative task in that the experimenter gave the child feedback and if a wrong picture was chosen the child was invited to try another one. There was also an adaptive phase where the stories presented by the system varied depending on the interaction history with a particular child.

Collectively, and across a number of trials, the main findings of the AuRoRa project were that:

- the robot was safe for the children to use and most children were not afraid of the robot
- children interacted with the robot over a continuous period of five to 10 minutes or even longer
- children generally showed an interest in the robot (in terms of gaze, touch, physical proximity etc.) and were more engaged in interactions with the robot than with another non-robotic toy
- children played some imitation games with the robot (ie. the robot imitating children's body movements)
- in some cases, the children used the robot as a mediator or an object of shared attention in their interaction with their teachers
- the embodied nature of the robot allowed for the displays of body orientation and movements in ways that a two-dimensional display on a computer screen may be unlikely to evoke

- children might lose interest in interacting with the robot over time if it was exhibiting the same behaviour
- children were notably more social and pro-active when interacting with simple robots with few features.

Two recent developments: 2005 to present

Related to the AuRoRa project, a few more studies have been mentioned in the literature. These also focused on the investigation of human–robot interaction in the treatment of children with ASD. In 2005, Okada and Goan developed a creature-like robot, Muu, to observe how and whether children with ASD can spontaneously collaborate with the robot in shared activities, such as arranging coloured blocks together.

A couple of years later, Liu *et al* (2007) proposed a framework for a robot that might be capable of detecting and responding to affective cues with the view of helping children with ASD to explore the social interaction dynamics in a gradual and adaptive manner. In another study (Kozima *et al*, 2007), longitudinal observations of children with ASD interacting with a creature-like robot, capable of expressing attention by orienting its gaze and expressing emotions by rocking and/or bobbing up and down, were reported. Findings indicated that children spontaneously approached the simple robot and they not only engaged in dyadic (two-way) interaction with it, but they extended to triadic (three-way) interactions, including their adult caregivers. It was assumed that the minimal expressiveness of the robot facilitated social interaction by enabling the children to comprehend socially meaningful information. Similar suggestions were made by Scassellati (2005) and Duquette *et al* (2008), who found that children with ASD could perform positive preliminary social behaviours, such as touching, vocalising at, shared attention (visual contact, physical proximity) and imitate facial expressions (smile), when interacting with a simple robot.

Since 2008, an on-going development in this area has been a child-sized humanoid robot called KASPAR (Kinesics And Synchronisation in Personal Assistant Robotics) (Adaptive Systems Research Group, 2008), developed by the Adaptive Systems Research Group at the University of Hertfordshire under the lead of Professor Dautenhahn. The goal of this €3.22 million European IROMEC project has been to develop a reliable robot that can

empower children with disabilities to discover the range of play styles from solitary to social and co-operative play. Although this work has gained great popularity in the media, there is only one written report, which is in German.

In 2009, Kozima *et al* developed a simple robot, Keepon, which was shown capable of facilitating triadic interactions between itself, an infant with autism, and another individual (another child or the infant's parent/caregiver). Although the interaction of hundreds of children with Keepon has been conducted and recorded over the recent years, only very few children with ASD have been included in this sample. In the same year, Costa and her colleagues investigated the use of a non human-like shape robot – LEGO MindStorms NTX – for improving the social life of adolescents with cognitive impairments, ASD and mental disease. During five sessions, two adolescents diagnosed with ASD and developmental disorder experienced a robot which was able to execute a predefined simple choreography only when either its touch sensor was pressed or when a certain sound (music, clapping, among others) was higher than a predefined value. Results were mixed and the participants behaved differently concerning the interest in maintaining the interaction throughout time. Similar results were obtained when the same robot, but with a human-like shape, was used in a subsequent study by the same investigators (Costa *et al*, 2010). Lego robots were also used in a classroom setting in an effort to foster collaboration among children at the higher-functioning end of the autistic spectrum, obtaining promising results (Wainer *et al*, 2010).

The most recent development in the area has been described in a study by Giannopulu and Pradel (2010) wherein they analysed the interactions of four children with ASD, aged 4–7 years old, with a mobile toy robot that provoked the child to engage in free spontaneous game play. Interestingly enough, the rather small cylindrical-shaped mobile robot called GIPY1, had been homemade. Specifically, a representation of a neutral facial expression constituted the cladding of the robot; the round eyes and the triangle nose were dyed olive green and the elliptical mouth was dyed red. Everything was covered with a transparent plastic sheet. According to the authors, the simplicity of the robot was driven by reports that indicated that children with ASD perform better when engaging in play with simple and predictable toys. The robot could move forward, backward and turn on itself at low speed via a wireless remote control, facilitating chasing games with the participants. Results were consistent with those from previous studies, in which narrative description of robot-child interaction has mainly been utilised. Nevertheless, a notable aspect of this study was the calculation

of the exact duration of robot–child interactions during spontaneous game play based on four criteria; eye contact, touch, manipulation and posture.

Parents and healthcare professionals regularly report that individuals with ASD are drawn to technological devices and researchers have noted the importance of devising treatments that take advantage of this population who have a tendency to better use and learn from visual instructions (Goldsmith & LeBlanc, 2004; Konstantinidis *et al*, 2009). Moreover, the suggestion that children with ASD are mainly attracted to systems of low or minimal variance or even predictable (ie. technological devices/machines) (Baron-Cohen, 2006; Nadel *et al*, 2004) comes in accordance with the nature of robots, which can allow properties of repeatability and stability as well as predictability of repetitive and monotonous behaviour (Michaud & Théberge-Turmel, 2002).

Robots can further allow the presentation of a simplified social environment and then a gradual increase in the complexity of social interactions. These are significant elements for the design of successful therapeutic programmes for children with ASD (Duquette *et al*, 2008; Goldsmith & LeBlanc, 2004; Robins *et al*, 2004b).

The popularity of technology in the field of psychology is evidenced by the development of new journals in the area, such as the *Journal of Special Education Technology*, the *Journal of Educational Multimedia and Hypermedia* and the *Journal of Computer Assisted Learning*. Furthermore, Autism Speaks, one of the largest international autism funding bodies, continues to support an Innovative Technology for Autism Initiative promoting collaborations among healthcare professionals, computer scientists and designers within the ASD community. More traditional clinical psychology journals are also recognising the importance of technology in facilitating service delivery and as such are devoting special issues to the topic (eg. *Autism: The International Journal of Research and Practice*).

Last but not least, the use of technologies is becoming more mainstream because they are widely available, cost effective and easier to use, which warrants extending and combining them to address the task of helping people with ASD.

References

Adaptive Systems Research Group (2008) *Kinesics and Synchronisation in Personal Assistant Robotics*. Available at: <http://kaspar.feis.herts.ac.uk/> (accessed April 2013).

Alcantara PR (1994) Effects of videotape instructional package on purchasing skills of children with autism. *Exceptional Children* **61** (1) 40–55.

Allen KD, Wallace DP, Greene DJ, Bowen SL & Burke RV (2010) Community-based vocational instruction using videotaped modeling for young adults with autism spectrum disorders performing in air-inflated mascots. *Focus on Autism and Other Developmental Disabilities* **25** 186–192.

American Psychiatric Association (2000) *Diagnostic and Statistical Manual of Mental Disorders* (4th edition, text revision). Washington DC: APP.

Bachmeyer MH, Piazza CC, Fredrick LD, Reed GK, Rivas KD & Kadey HJ (2009) Functional analysis and treatment of multiply controlled inappropriate mealtime behaviour. *Journal of Applied Behavior Analysis* **42** (3) 641–658.

Baharav E & Darling R (2008) Case report: Using an auditory trainer with caregiver video modeling to enhance communication and socialization behaviors in autism. *Journal of Autism & Developmental Disorders* **38** (4) 771–775.

Baily DB & Wolery M (1984) *Teaching Infants and Preschoolers with Handicaps*. Columbus, OH: Merrill.

Barakova EI & Lourens T (2010) Expressing and interpreting emotional movements in social games with robots. *Personal and Ubiquitous Computing* **14** 457–467.

Barakova EI, Feijs LMG & Gillesen JCC (2009) Social training of autistic children with interactive intelligent agents. *Journal of Integrative Neuroscience* **8** (1) 23–34.

Baron-Cohen S (2006) The hyper-systemizing, assortative mating theory of autism. *Progress in Neuro-Psychopharmacology & Biological Psychiatry* **30** 865–872.

Bellini S & Akullian J (2007) A meta-analysis of video modelling and video self-modeling interventions for children and adolescents with autism spectrum disorders. *Exceptional Children* **73** (3) 264–287.

Bernard-Opitz V (1989) Computer-assisted instruction for autistic children. *Journal of Child and Adolescent Psychiatry* **17** 125–130.

Billard A, Robins B, Dautenhahn K & Nadel J (2007) Building Robota, a mini-humanoid robot for the rehabilitation of children with Autism. *RESNA Assistive Technology Journal* **19** (1) 37–49.

Blum-Dimaya A, Reeve SA, Reeve KF & Hoch H (2010) Teaching children with autism to play a video game using activity schedules and game-embedded simultaneous video modelling. *Education and Treatment of Children* **33** (3) 351–370.

Bolte S, Golan O, Goodwin M & Zwaigenbaum L (2010) What can innovative technologies do for autism spectrum disorders? *Autism* **14** (3) 155–159.

Bondy A & Frost L (2001) *A Picture's Worth: PECS and other visual communication strategies in autism*. Bethesda State: Woodbine House.

Boudreau E & D'Entremont B (2010) Improving the pretend play skills of preschoolers with autism spectrum disorders: the effects of video modeling. *Journal of Developmental and Physical Disabilities* **22** (4) 415–431.

- Charitos D, Karadanos G, Sereti E, Triantafillou S, Koukouvinou S & Martakos D (2000) Employing virtual reality for aiding the organization of autistic children behaviour in everyday tasks. In: PM Sharkey, A Cesarini and L Pugnetti *et al* (Eds) *Proceedings of the 3rd International Conference on Disability, Virtual Reality and Associated Technologies*. Alghero, Sardinia, Italy, pp. 147–152.
- Charlop MH & Milstein JP (1989) Teaching autistic children conversational speech using video modeling. *Journal of Applied Behavior Analysis* **22** (3) 275–285.
- Charlop MH, Dennis B, Carpenter MH & Greenberg AL (2010) Teaching socially expressive behaviors to children with autism through video modeling. *Education & Treatment of Children* **33** (3) 371–393.
- Charlop-Christy MH & Daneshvar S (2003) Using video modelling to teach perspective taking to children with autism. *Journal of Positive Behavior Interventions* **5** (1) 12–21.
- Charlop-Christy MH, Le L & Freeman KA (2000) A comparison of video modeling with in vivo modeling for teaching children with autism. *Journal of Autism and Developmental Disorders* **30** 537–552.
- Chen SH & Bernard-Opitz V (1993) Comparison of personal and computer-assisted instruction for children with autism. *Mental Retardation* **31** (6) 368–376.
- Cihak D, Fahrenkrog C, Ayres KM & Smith C (2010) The use of video modeling via an iPod and a system of least prompts to improve transitional behaviors for students with Autism Spectrum Disorders in the general education classroom. *Journal of Positive Behavior Interventions* **12** 103–115.
- Colby K (1973) The rationale for computer based treatment of language difficulties in non-speaking autistic children. *Journal of Autism and Childhood Schizophrenia* **3** 254–260.
- Corbett BA & Abdullah M (2005) Video modeling: why does it work for children with autism? *Journal of Early and Intensive Behavior Intervention* **2** (1) 2–8.
- Costa S, Santos C, Soares F, Ferreira M & Moreira F (2010) *Promoting interaction amongst autistic adolescents using robots*. 32nd Annual International IEEE EMBS Conference Buenos Aires, August 31 – September 4, Argentina.
- Cromby JJ, Standen PJ & Brown DJ (1996) The potentials of virtual environments in the education and training of people with learning disabilities. *Journal of Intellectual Disability Research* **40** 489–501.
- D'Ateno P, Mangiapanello K & Taylor BA (2003) Using video modeling to teach complex play sequences to a preschooler with autism. *Journal of Positive Behavior Interventions* **5** (1) 5–11.
- Dauphin M, Kinney EM & Stromer R (2004) Using video-enhanced activity schedules and matrix training to teach sociodramatic play to a child with autism. *Journal of Positive Behaviour Interventions* **6** (4) 238–250.
- Dautenhahn K & Werry I (2000) Issues of robot-human interaction dynamics in the rehabilitation of children with autism. Proceedings from Animals to Animats '00: *The Sixth International Conference on the Simulation of Adaptive Behavior, Paris, France*, pp. 519–528.
- Dautenhahn K & Werry I (2004) Towards interactive robots in autism therapy: background, motivation and challenges. *Pragmatics and Cognition* **12** (1) 1–35.
- Dautenhahn K, Werry I, Salter T & te Boekhorst R (2003) Towards adaptive autonomous robots in autism therapy: varieties of interactions. Proceedings IEEE '03: *International Symposium on Computational Intelligence in Robotics and Automation (CIRA'03), Kobe, Japan*.
- Davis M, Dautenhahn K, Nehaniv C & Powell SA (2006) TouchStory: Towards an interactive learning environment for helping children with autism to understand narrative. Proceedings ICCHP '06: *10th International conference on computers helping people with special needs, University of Linz, Austria*.

- Dawson G, Osterling J, Meltzoff AN & Kuhl P (2000) Case study of the development of an infant with autism from birth to two years of age. *Journal of Applied Developmental Psychology* **21** 299–313.
- Dawson M, Soulieres I, Gernsbacher MA & Mottron L (2007) The level and nature of autistic intelligence. *Psychological Science* **18** (8) 657–662.
- Delano ME (2007) Video modeling interventions for individuals with autism. *Remedial and Special Education* **28** (1) 33–42.
- Delfs C & Campbell JM (2010) A quantitative synthesis of developmental disability research: The impact of functional assessment methodology on treatment effectiveness. *Behavior Analyst Today* **11** (1) 4–19.
- Doughty K Monk A, Bayliss C, Brown S, Dewsburry L, Dunk B, Gallagher V, Grafham K, Jones M, Lowe C, McAlister L, McSorley K, Mills P, Skidmore C, Steward A, Taulor B & Ward D (2007) Telecare, telehealth and assistive technologies – do we know what we’re talking about? *Journal of Assistive Technologies* **1** (2) 6–10.
- Duquette A, Michaud F & Mercier H (2008) Exploring the use of a mobile robot as an imitation agent with children with low-functioning autism. *Autonomous Robots* **24** 147–157.
- Dwyer-Moore KJ & Dixon MR (2007) Functional analysis and treatment of problem behavior of elderly adults in long-term care. *Journal of Applied Behaviour Analysis* **40** (4) 679–683.
- Frost RE (1981) *An interactive computer environment for autistic children*. Proceedings of the John Hopkins First National Search for Applications of Personal Computing to Aid the Handicapped. Los Angeles: Institute of Electrical and Electronics Engineers Computer Society.
- Fugard AJB, Stewart ME & Stenning K (2011) Visual/verbal-analytic reasoning bias as a function of self-reported autistic-like traits: a study of typically developing individuals solving Raven’s Advanced Progressive Matrices. *Autism* **15** (3) 327–340.
- Gena A, Couloura S & Kymissis E (2005) Modifying the affective behavior of preschoolers with autism using in-vivo or video modeling and reinforcement contingencies. *Journal of Autism and Developmental Disorders* **35** (5) 545–556.
- Geoffrion LD & Goldenberg EF (1981) Computer-based learning systems for communication handicapped children. *Journal of Special Education* **15** 325–332.
- Giannopulu I & Pradel G (2010) Multimodal interactions in free game play of children with autism and a mobile toy robot. *NeuroRehabilitation* **27** 305–311.
- Golan O & Baron-Cohen S (2006) Systemizing empathy: teaching adults with Asperger syndrome or high-functioning autism to recognize complex emotions using interactive multimedia. *Development and Psychopathology* **18** 591–617.
- Goldenberg EF (1979) *Special Technology for Special Children*. Baltimore: University Park Press.
- Goldsmith TR & LeBlanc LA (2004) Use of technology in interventions for children with autism. *Journal of Early and Intensive Behavior Intervention* **1** (2) 166–178.
- Goodwin MS (2008) Enhancing and accelerating the pace of autism research and treatment: the promise of developing innovative technologies. *Focus on Autism and Other Developmental Disabilities* **23** 125–128.
- Grant L & Evans A (1994) *Principles of Behavior Analysis*. New York: HarperCollins College.
- Hammond DL, Whatley AD, Ayres KM & Gast DL (2010) Effectiveness of video modeling to teach iPod use to students with moderate intellectual disabilities. *Education and Training in Autism and Developmental Disabilities* **45** 525–538.

- Hanley GP, Iwata BA & McCord BE (2003) Functional analysis of problem behavior: a review. *Journal of Applied Behavior Analysis* **36** 187–204.
- Haring TG, Kennedy CH, Adams MJ & Pitts-Conway V (1987) Teaching generalization of purchasing skills across community settings to autistic youth using videotape modeling. *Journal of Applied Behavior Analysis* **20** (1) 89–96.
- Haring TG, Breen CG, Weiner J, Kennedy CH & Bednersh F (1995) Using videotape modeling to facilitate generalized purchasing skills. *Journal of Behavioral Education* **5** (1) 29–53.
- Harvey MT, Luiselli JK & Wong SE (2009) Application of applied behavior analysis to mental health issues. *Psychological Services* **6** 212–222.
- Hine JF & Wolery M (2006) Using point-of-view video modeling to teach play to preschoolers with autism. *Topics in Early Childhood Special Education* **26** (2) 83–93.
- Horn JA, Miltenberger RG, Weil T, Mowery J, Conn M & Sams L (2008) Teaching laundry skills to individuals with developmental disabilities using video prompting. *International Journal of Behavioral Consultation and Therapy* **4** (3) 279–286.
- Howlin P (1998) Practitioner review: psychological and educational treatments for autism. *Journal of Child Psychology and Psychiatry* **39** 307–322.
- Jordan R (1988) Computer-assisted learning. Presented at Autism – Today and Tomorrow, International Association of Autism, Third European Congress.
- Jordan R & Powell S (1990) *The Special Curricular Needs of Autistic Children: Learning and thinking skills*. Chichester, NY: John Wiley.
- Kagohara DM (2010) Is video-based instruction effective in the rehabilitation of children with autism spectrum disorders? *Developmental Rehabilitation* **13** (2) 129–140.
- Kamio Y & Toichi M (2000) Dual access to semantics in autism: Is pictorial access superior to verbal access? *Journal of Child Psychology and Psychiatry* **41** 859–867.
- Kinney EM, Vedora J & Stromer R (2003) Computer-presented video models to teach generative spelling to a child with an autism spectrum disorder. *Journal of Positive Behavior Interventions* **5** (1) 22–29.
- Konstantinidis E, Luneski A, Frantzidis C, Nikolaidou M, Hitoglou-Antoniadou M & Bamidis P (2009) Information and communication technologies (ICT) for enhanced education of children with autism spectrum disorders. *The Journal on Information Technology in Healthcare* **7** (5) 284–292.
- Keenan, M, Kerr KP & Dillenburger K (2000) *Parents' Education as Autism Therapists*. London: Jessica Kingsley Publishers.
- Kleeberger V & Mirenda P (2010) Teaching generalized imitation skills to a preschooler with autism using video modeling. *Journal of Positive Behavior Interventions* **12** 116–127.
- Kozima H, Nakagawa C & Yasuda Y (2007) Children-robot interaction: a pilot study in autism therapy. *Progress in Brain Research* **164** 385–400.
- Kozima H, Michalowski MP & Nakagawa C (2009) Keepon: a playful robot for research, therapy, and entertainment. *International Journal of Social Robotics* **1** (1) 3–18.
- Lasater MW & Brady MP (1995) Effects of video self-modeling and feedback on task fluency: A home-based intervention. *Education and Treatment of Children* **18** (4) 389–407.
- Latash ML (1998) Virtual reality: a fascinating tool for motor rehabilitation (to be used with caution). *Disability and Rehabilitation* **20** 104–105.

- LeBlanc L & Coates AM (2003) Using video modeling and reinforcement to teach perspective-taking skills to children with autism. *Journal of Applied Behavior Analysis* **36** (253–257).
- Leonard A, Mitchell P & Parsons S (2002) Finding a place to sit: a preliminary investigation into the effectiveness of virtual environments for social skills training for people with autistic spectrum disorders. In: PM Sharkey, C Sik Lányi & PJ Standen (Eds) *Proceedings of the 4th International Conference on Disability, Virtual Reality and Associated Technologies. Veszprém, Hungary*, pp. 249–257.
- Liu C, Conn K, Sarkar N & Stone W (2007) Affect recognition in robot assisted rehabilitation of children with autism spectrum disorder. *Proceedings IEEE '07: International Conference on Robotics and Automation (ICRA '07), Roma, Italy*, pp. 1755–1760.
- Lovaas OI & Koegel RL (1979) Stimulus overselectivity in autism: a review of research. *Psychological Bulletin* **86** 1236–1254.
- MacDonald R, Clark M, Garrigan E & Vangala M (2005) Using video modeling to teach pretend play to children with autism. *Behavioral Interventions* **20** (4) 225–238.
- MacDonald R, Sacramone S, Mansfield R, Wiltz K & Ahearn WH (2009) Using video modeling to teach reciprocal pretend play to children with autism. *Journal of Applied Behavior Analysis* **42** 43–55.
- Maione L & Mirenda P (2006) Effects of video modeling and video feedback on peer-directed social language skills of a child with autism. *Journal of Positive Behavior Interventions* **8** (2) 106–118.
- Manente CJ, Maraventano JC, LaRue RH, Delmolino L & Sloan D (2010) Effective behavioral intervention for adults on the autism spectrum: best practices in functional assessment and treatment development. *Behavior Analyst Today* **11** (1) 36–48.
- Matson J & Minshawi N (2007) Functional assessment of challenging behavior: Toward a strategy for applied settings. *Research in Developmental Disabilities* **28** (4) 353–361.
- Matson JL & Wilkins J (2009) Factors associated with the questions about behavior function for functional assessment of low and high rate challenging behaviors in adults with intellectual disability. *Behavior Modification* **33** (2) 207–219.
- Michaud F & Théberge-Turmel C (2002) Mobile robotic toys and autism. In: K Dautenhahn, A Bond, L Canamero & B Edmonds (Eds) *Socially Intelligent agents: Creating relationships with computers and robots* (pp. 125–132). Netherlands: Kluwer Academic Publishers.
- Morgan RL & Salzberg CL (1992) Effects of video-assisted training on employment-related skills of adults with severe mental retardation. *Journal of Applied Behavior Analysis* **25** 365–383.
- Mottron L (2011) The power of autism. *Nature* **479** (November) 33–35.
- Nadel J, Revel A, Andy P & Gaussier P (2004) Toward communication, first imitations in infants, low-functioning children with autism and robots. *Interaction Studies* **5** (1) 45–74.
- Nally B, Houlton B & Ralph S (2000) Researches in brief: The management of television and video by parents of children with autism. *Autism: The International Journal of Research and Practice* **4** 331–337.
- Nikopoulos CK & Keenan M (2003) Promoting social initiation in children with autism. *Behavioral Interventions* **18** (2) 87–108.
- Nikopoulos CK & Keenan M (2004a) Effects of video modelling on social initiations by children with autism. *Journal of Applied Behavior Analysis* **37** (1) 93–96.

Nikopoulos CK & Keenan M (2004b) Effects of video modelling on training and generalisation of social initiation and reciprocal play by children with autism. *European Journal of Behavior Analysis* **5** (1) 1–13.

Nikopoulos CK & Keenan M (2006) *Video Modelling and Behaviour Analysis: A guide for teaching social skills to children with autism*. London: Jessica Kingsley Publishers.

Nikopoulos CK & Keenan M (2007) Using video modeling to teach complex social sequences to children with autism. *Journal of Autism and Developmental Disorders* **37** (4) 678–693.

Nikopoulos CK & Nikopoulou-Smyrni PG (2008) Teaching complex social skills to children with autism; advances of video modeling. *Journal of Early and Intensive Behavior Intervention* **5** (2) 30–43.

Nikopoulos CK, Canavan C & Nikopoulou-Smyrni PG (2009) Generalized effects of video modeling on establishing instructional stimulus control in children with autism. Results of a preliminary study. *Journal of Positive Behavior Interventions* **11** (4) 198–207.

Okada M & Goan M (2005) Modeling sociable artificial creatures: findings from the Muu. *Proceedings of the 13th International Conference on Perception and Action (ICPA13), Symposium: Formation of social perception-action units*.

Panyan M, McGregor G, Bennett A, Rysticken N & Spurr A (1984) *The effects of microcomputer-based instruction on the academic and social progress of autistic students*. Presented at the Council for Exceptional Children Technology in Special Education Conference, Reno, Nevada.

Parsons LD (2006) Using video to teach social skills to secondary students with autism. *Teaching Exceptional Children* **39** (2) 32–38.

Parsons S & Mitchell P (2002) The potential of virtual reality in social skills training for people with autistic spectrum disorders. *Journal of Intellectual Disability Research* **46** 430–443.

Pierno AC, Mari M, Lusher D & Castiello U (2008) Robotic movement elicits visuomotor priming in children with autism. *Neuropsychologia* **46** (2) 448–454.

Quill KA (2000) *Do-Watch-Listen-Say: Social communication intervention for children with autism*. Baltimore: Paul H. Brookes.

Rao S M & Gagie B (2006) Learning through seeing and doing: visual supports for children with autism. *Teaching Exceptional Children* **38** (6) 26–33.

Reagon KA, Higbee TS & Endicott K (2006) Teaching pretend play skills to a student with autism using video modeling with a sibling as model and play partner. *Education and Treatment of Children* **29** (3) 517–528.

Reichow B & Volkmar FR (2010) Social skills interventions for individuals with autism: evaluation for evidence-based practices within a best evidence synthesis framework. *Journal of Autism and Developmental Disorders* **40** 149–166.

Rincover A & Ducharme JM (1987) Variables influencing stimulus overselectivity and “Tunnel Vision” in developmentally delayed children. *American Journal of Mental Deficiency* **91** 422–430.

Robins B, Dautenhahn K & Dubowski J (2004a) Investigating autistic children’s attitudes towards strangers with the theatrical robot – a new experimental paradigm in human-robot interaction studies. *Proceedings IEEE Ro-man ‘04: 13th IEEE International workshop on robot and human interactive communication, Kurashiki, Okayama Japan*.

Robins B, Dautenhahn K, Dickerson P & Stribling P (2004b) Robot-mediated joint attention in children with autism. *Interaction Studies: Social Behaviour and Communication in Biological and Artificial Systems* **5** (2) 161–198.

Robins B, Dautenhahn K, te Boekhorst R & Billard A (2004c) Effects of repeated exposure to a humanoid robot on children with autism. In: S Keates, J Clarkson, P Langdon and P Robinson (Eds) *Designing a More Inclusive World* (pp. 225-236). London: Springer Verlag.

Robins B, Dautenhahn K, te Boekhorst R & Billard A (2005a) Robotic assistants in therapy and education of children with autism: can a small humanoid robot help encourage social interaction skills? *Special Issue Design for a more inclusive world of the international journal Universal Access in the Information Society (UAIS)* 4 (2) 1–20, Springer-Verlag.

Robins B, Dickerson P & Dautenhahn K (2005b) Robots as embodied beings – interactionally sensitive body movements in interactions among autistic children and a robot. Proceedings IEEE Ro-man '05: *14th IEEE International workshop on robot and human interactive communication, Nashville, Tennessee, USA*. IEEE pres pp. 54–59.

Robins B, Dautenhahn K & Dubowski J (2006) Does appearance matter in the interaction of children with autism with a humanoid robot? *Interaction Studies: Social Behaviour and Communication in Biological and Artificial Systems* 7 (3) 479–512.

Scassellati B (2005) Using social robots to study abnormal social development. Proceedings '05: *Fifth International Workshop on Epigenetic Robotics: Modeling cognitive development in robotic systems, Lund University*, pp.11–14.

Schreibman L, Whalen C & Stahmer AC (2000) The use of video priming to reduce disruptive transition behavior in children with autism. *Journal of Positive Behavior Interventions* 2 3–11.

Shane HC & Albert PD (2008) Electronic screen media for persons with autism spectrum disorders: results of a survey. *Journal of Autism and Developmental Disorders* 38 1499–1508.

Sherer M, Pierce KL, Paredes S, Kisacky KL, Ingersoll B & Schreibman L (2001) Enhancing conversational skills in children with autism via video technology. Which is better, 'self' or 'other' as a model? *Behavior Modification* 25 (1) 140–158.

Shiple-Benamou R, Lutzker JR & Taubman M (2002) Teaching daily living skills to children with autism through instructional video modeling. *Journal of Positive Behavior Interventions* 4 (3) 165–175.

Simmons DR, Robertson AE, McKay LS, Toal E, McAleer P & Pollick FE (2009) Vision in autism spectrum disorders. *Vision Research* 49 2705–2739.

Simpson A, Langone J & Ayres KM (2004) Embedded video and computer based instruction to improve social skills for students with autism. *Education and Training in Developmental Disabilities* 39 (3) 240–252.

Soulieres I, Dawson M, Samson F, Barbeau EB, Sahyoun C, Strangman GE, Zeffiro TA & Mottron L (2009) Enhanced visual processing contributes to matrix reasoning in autism. *Human Brain Mapping* 30 4082–4107.

Stokes JV, Cameron MJ, Dorsey MF & Fleming E (2004) Task analysis, correspondence training, and general case instruction for teaching personal hygiene skills. *Behavioral Interventions* 19 121–135.

Strickland D (1997) Virtual Reality for the treatment of autism. In: G Riva (Ed) *Virtual Reality in Neuro-Psycho-Physiology*. Milan: IOS Press, pp. 81–86.

Sturmey P (2003) Video technology and persons with autism and other developmental disabilities: An emerging technology for PBS. *Journal of Positive Behavior Interventions* 5 (1) 3–4.

Taylor BA, Levin L & Jasper S (1999) Increasing play-related statements in children with autism toward their siblings: effects of video modeling. *Journal of Developmental and Physical Disabilities* 11 (3) 253–264.

Tereshko L, MacDonald R & Ahearn WH (2010) Strategies for teaching children with autism to imitate response chains using video modeling. *Research in Autism Spectrum Disorders* **4** (3) 479–489.

Van Laarhoven T, Kraus E, Karpman K, Nizzi R & Valentino J (2010) A comparison of picture and video prompts to teach daily living skills to individuals with autism. *Focus on Autism and Other Developmental Disabilities* **25** 195–208.

Verdonck M, McCormack C & Chard G (2011) Irish occupational therapists' views of electronic assistive technology. *British Journal of Occupational Therapy* **74** (4) 185–190.

Volkmar FR & Klin A (2000) Diagnostic issues in Asperger syndrome. In: A Klin, FR Volkmar & SS Sparrow (Eds.) *Asperger Syndrome*. New York: Guildford Press, pp. 25–71.

Wainer J, Ferrari E, Dautenhahn K & Robins B (2010) The effectiveness of using a robotics class to foster collaboration among groups of children with autism in an exploratory study. *Personal and Ubiquitous Computing* **14** 445–455.

Wang S, Cui Y & Parrila R (2011) Examining the effectiveness of peer-mediated and video modeling social skills interventions for children with autism spectrum disorders: a meta-analysis in single-case research using HLM. *Research in Autism Spectrum Disorders* **5** 562–569.

Werry I & Dautenhahn K (1999) Applying mobile robot technology to the rehabilitation of autistic children. Proceedings from SIRS '99: *7th International Symposium on Intelligent Robotic Systems, Coimbra, Portugal*, pp. 265–272.

Werry I, Dautenhahn K, Ogden B & Harwin W (2001a) Can social interaction skills be taught by a social agent? The role of a robotic mediator in autism therapy. Proceedings CT '01: *The Fourth International Conference on Cognitive Technology: Instruments of Mind, University of Warwick, United Kingdom, Springer Verlag*.

Werry I, Dautenhahn K & Harwin W (2001b) Investigating a robot as a therapy partner for children with autism. Proceedings AAATE '01: *6th European Conference for the Advancement of Assistive Technology, Ljubljana, Slovenia*.

Williams C, Wright, B, Callaghan G & Coughlan B (2002) Do children with autism learn to read more readily by computer assisted instruction or traditional book methods? A pilot study. *Autism* **6** 71–91.

Autism spectrum disorder (ASD) refers to a range of conditions characterised by some degree of impaired social behaviour, communication and language, and a narrow range of interests and activities that are both unique to the individual and carried out repetitively. ASDs begin in childhood and tend to persist into adolescence and adulthood. There is no known cure for ASD. Evidence-based psychosocial interventions, however, such as behavioural treatment and skills training programmes for parents and other caregivers, can reduce difficulties in communication and social behaviour, with a positive impact on the person's well-being and quality of life. Interventions for people with ASD and other developmental disorders need to be Autism Spectrum Disorder Autism Spectrum Disorder Joint Attention Assistive Technology Autism Spectrum Disorder Group. These keywords were added by machine and not by the authors. This process is experimental and the keywords may be updated as the learning algorithm improves. A meta-analysis of video modeling and video self-modeling interventions for children and adolescents with autism spectrum disorders. *Exceptional Children*, 73, 264-287. Google Scholar. Bellini, S., Akullian, J., & Hopf, A. (2007). Increasing social engagement in young children with autism spectrum disorders using video self-modeling. *School Psychology Review*, 36, 80-90. Google Scholar. Beaumont, R., & Sofronoff, K. (2008). The autism spectrum encompasses a range of neurodevelopmental conditions, including autism and Asperger syndrome, generally known as autism spectrum disorders (ASD). Individuals on the autistic spectrum experience difficulties with social communication and interaction and also exhibit restricted, repetitive patterns of behavior, interests, or activities. Symptoms are typically recognized between one and two years of age in boys. However, a lot of children are not finally diagnosed until they are older. Request PDF | On Nov 1, 2013, Christos K Nikopoulos and others published Integrating innovative technology-based interventions for people with autism spectrum disorders. | Find, read and cite all the research you need on ResearchGate. ResearchGate has not been able to resolve any references for this publication. Join ResearchGate to find the people and research you need to help your work. 16+ million members. 118+ million publications. 2. Communication in children with Autism Spectrum Disorders (ASD). 2.1. Difficulties with communication and language as part of the spectrum. The third major approach in the field of communication intervention for children with ASD is the developmental pragmatic approach. The most elaborated programme for treatment, the SCERTS (Social-Communication, Emotional Regulation, Transactional Support) model [28] focuses on functional communication. Professionals feared that people with ASD would become even more aloof if they were encouraged to sit in front of a computer screen. Concerning speech-generating devices (SGDs), a common view was that they would only stimulate echolalia in children with ASD, and that there would be too much noise in the classroom.