

PROCEEDINGS OF SPIE

***Sixth Symposium on Novel
Optoelectronic Detection
Technology and Applications***

**Junhao Chu
Huilin Jiang**
Editors

**3–5 December 2019
Beijing, China**

Sponsored by
Chinese Society for Optical Engineering (China)
Science and Technology on Low-light-level Night Vision Laboratory (China)

Organized by
Xi'an Technological University (China)
Photoelectronic Technology Committee, Chinese Society of Astronautics

Published by
SPIE

Volume 11455
Part One of Three Parts

Proceedings of SPIE 0277-786X, V. 11455

SPIE is an international society advancing an interdisciplinary approach to the science and application of light.

The papers in this volume were part of the technical conference cited on the cover and title page. Papers were selected and subject to review by the editors and conference program committee. Some conference presentations may not be available for publication. Additional papers and presentation recordings may be available online in the SPIE Digital Library at SPIDigitalLibrary.org.

The papers reflect the work and thoughts of the authors and are published herein as submitted. The publisher is not responsible for the validity of the information or for any outcomes resulting from reliance thereon.

Please use the following format to cite material from these proceedings:

Author(s), "Title of Paper," in *Sixth Symposium on Novel Optoelectronic Detection Technology and Applications*, edited by Junhao Chu, Huilin Jiang, Proceedings of SPIE Vol. 11455 (SPIE, Bellingham, WA, 2020) Seven-digit Article CID Number.

ISSN: 0277-786X

ISSN: 1996-756X (electronic)

ISBN: 9781510637047

ISBN: 9781510637054 (electronic)

Published by

SPIE

P.O. Box 10, Bellingham, Washington 98227-0010 USA

Telephone +1 360 676 3290 (Pacific Time) Fax +1 360 647 1445

SPIE.org

Copyright © 2020, Society of Photo-Optical Instrumentation Engineers.

Copying of material in this book for internal or personal use, or for the internal or personal use of specific clients, beyond the fair use provisions granted by the U.S. Copyright Law is authorized by SPIE subject to payment of copying fees. The Transactional Reporting Service base fee for this volume is \$21.00 per article (or portion thereof), which should be paid directly to the Copyright Clearance Center (CCC), 222 Rosewood Drive, Danvers, MA 01923. Payment may also be made electronically through CCC Online at copyright.com. Other copying for republication, resale, advertising or promotion, or any form of systematic or multiple reproduction of any material in this book is prohibited except with permission in writing from the publisher. The CCC fee code is 0277-786X/20/\$21.00.

Printed in the United States of America by Curran Associates, Inc., under license from SPIE.

Publication of record for individual papers is online in the SPIE Digital Library.

SPIE. DIGITAL LIBRARY

SPIDigitalLibrary.org

Paper Numbering: *Proceedings of SPIE* follow an e-First publication model. A unique citation identifier (CID) number is assigned to each article at the time of publication. Utilization of CIDs allows articles to be fully citable as soon as they are published online, and connects the same identifier to all online and print versions of the publication. SPIE uses a seven-digit CID article numbering system structured as follows:

- The first five digits correspond to the SPIE volume number.
- The last two digits indicate publication order within the volume using a Base 36 numbering system employing both numerals and letters. These two-number sets start with 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 0A, 0B ... 0Z, followed by 10-1Z, 20-2Z, etc. The CID Number appears on each page of the manuscript.

Contents

xxi *Authors*
xxx *Conference Committee*

Part One

SIXTH SYMPOSIUM ON NOVEL OPTOELECTRONIC DETECTION TECHNOLOGY AND APPLICATIONS

- 11455 02 **Development and application of software for evaluating the effectiveness of cataloguing space debris [11455-1]**
- 11455 03 **Regional near-surface total column ozone inversion based on MODIS [11455-2]**
- 11455 04 **Influence to filamentation of femtosecond laser by atmospheric turbulence at wavelength of 400 nm [11455-4]**
- 11455 05 **Detection efficiency calibration of single-photon avalanche detectors [11455-5]**
- 11455 06 **Impact of above-cloud aerosol on low cloud optical properties [11455-7]**
- 11455 07 **Analytical study of in-plane rotation error for segmented mirror [11455-8]**
- 11455 08 **Atmospheric boundary layer height retrieved from CALIPSO over the South China Sea [11455-9]**
- 11455 09 **Thermal conductivity of SiN films with different thicknesses by 3ω method [11455-10]**
- 11455 0A **Mechanism research of orbital angular momentum detecting probability in atmospheric turbulence [11455-11]**
- 11455 0B **A uniform celestial sphere dividing method based on spherical rectangle [11455-12]**
- 11455 0C **Improving the imaging quality of a dispersion-compensated polarization Sagnac interferometer by using a set of parallel plates [11455-13]**
- 11455 0D **The roles of position on the electronic structures, magnetic and optical properties of Cr-doped GaAs [11455-16]**
- 11455 0E **OAM modes generator and multiplexer by silicon waveguides [11455-17]**
- 11455 0F **Research and development for multi-spectral film of 3D glasses [11455-19]**

- 11455 0G **Research on wavelength division film of glasses based on 3D technology in cinema** [11455-20]
- 11455 0H **Graphene/InAs nanowire composite structure photodetector** [11455-21]
- 11455 0I **Research on new mathematical model verification technology of kingpin angle** [11455-22]
- 11455 0J **III-V/Si integrated photonic devices based on micro transfer printing** [11455-24]
- 11455 0K **Open loop predictive correction for adaptive optics systems with frozen flow turbulence**
[11455-25]
- 11455 0L **Si photonic crystal nanocavity electro-optic modulator with wavy PN junctions** [11455-26]
- 11455 0M **Defect extraction and quantitative analysis of composite materials based on infrared detection**
[11455-28]
- 11455 0N **Spreading properties of multi-Gaussian Schell-model beam array in maritime atmospheric
turbulence** [11455-30]
- 11455 0O **Optical design of light module for head up display based on MOEMS** [11455-31]
- 11455 0P **Laser echo from star-mounted retro-reflector array in atmospheric turbulence** [11455-32]
- 11455 0Q **Retrieval and analysis of aerosol vertical distribution in typical areas of China** [11455-34]
- 11455 0R **Enhancing near-infrared photoresponse in sulfur-supersaturated silicon photodiodes** [11455-35]
- 11455 0S **Light absorption enhancement of graphene using a narrow grooved metasurface** [11455-39]
- 11455 0T **Noise removing method for low-light-level image based on four-direction nonlocal means**
[11455-40]
- 11455 0U **Refractive index sensing system based on waveguide: nanometer DBRs one-dimensional
photonic crystal microstructure** [11455-41]
- 11455 0V **Low-light-level image colorization based on Laws' texture feature descriptor** [11455-42]
- 11455 0W **Design of hardware system for low-illumination ICMOS camera based on FPGA** [11455-43]
- 11455 0X **Nuclear pollutant detection system based on photon counting** [11455-44]
- 11455 0Y **A hand-held wide dynamic camera** [11455-45]
- 11455 0Z **Collaborative observation of ozone distribution in near surface by UAV and LIDAR** [11455-46]
- 11455 10 **An analysis on fundamental information needs of STM** [11455-47]

- 11455 11 **Enhanced infrared normal spectral emissivity of plane blackbody radiation source using a femtosecond laser micromachining method [11455-48]**
- 11455 12 **Research on fatigue and damage of MCP caused by input current [11455-49]**
- 11455 13 **Design of a pulsed digital holographic microscopy for dynamic ultrasonic wavefield [11455-50]**
- 11455 14 **Design of a photoelectric precision detection circuit of dual channel for the NH₃ concentration [11455-51]**
- 11455 15 **Research on SNR testing technology of EBCMOS [11455-53]**
- 11455 16 **Use of computational fluid dynamic for optimization in wing design, comparison of stress with Schrenk method [11455-54]**
- 11455 17 **Facile synthesis and optical properties of SnS₂ QDs [11455-55]**
- 11455 18 **Time integrating acousto-optic receiver with wide bandwidth and high sensitivity [11455-57]**
- 11455 19 **Analysis and simulation of multipath separation based on improved penalty function method in time-of-flight cameras [11455-58]**
- 11455 1A **Design and analysis of a composite photodetector [11455-60]**
- 11455 1B **Research on attitude measurement precision of star sensor influenced by space radiation damage [11455-63]**
- 11455 1C **Research on the full stokes parameters from ocean targets using the laboratory simulated polarimetry system [11455-65]**
- 11455 1D **Design and feasibility analysis of shipboard sun-photometer [11455-66]**
- 11455 1E **Design of fluorescent fiber temperature sensor based on fluorescence lifetime [11455-67]**
- 11455 1F **Feasibility of nondestructive measurement of photocarrier transport properties in semiconductors with polarization technique [11455-68]**
- 11455 1G **Design and analysis of spectral tunable entangled photon sources based on PPLN crystal [11455-69]**
- 11455 1H **Nonlinear characteristics of RF photonic processing system [11455-71]**
- 11455 1I **Application of polarization spectrum in classification of jujube in southern Xinjiang [11455-73]**
- 11455 1J **Evaluation method for power handling capacity of bulk acoustic wave filter [11455-75]**

- 11455 1K **Research on a modeling method for three-dimensional infrared scene of typical islands**
[11455-79]
- 11455 1L **Perturbation analysis of frequency shift in a thin film bulk acoustic wave resonator under
biasing field** [11455-80]
- 11455 1M **Polarized color mixing skylight parameters enhancement** [11455-81]
- 11455 1N **Broadband and high-efficient mid-infrared wavelength conversion in a graphene-covered
silicon ridge waveguide** [11455-82]
- 11455 1O **The simulation design and verification of integrated optical waveguide in silicon photonics**
[11455-83]
- 11455 1P **The research of new space-based full-spectrum camera for detection and warning** [11455-84]
- 11455 1Q **An underwater laser three-dimensional imaging system** [11455-85]
- 11455 1R **Thermal and mechanical damage in polyimide irradiated by pulsed CO₂ laser** [11455-86]
- 11455 1S **Effect of Ge profiles on the performance of lateral SiGe heterojunction bipolar transistors with
substrate bias** [11455-87]
- 11455 1T **Best focus approach of HinOTORI telescope** [11455-88]
- 11455 1U **A method and equipment for the inspection of composite tubular specimen by thermography**
[11455-90]
- 11455 1V **Design and optimization of Mie scattering lidar detection system** [11455-91]
- 11455 1W **Remote sensing of total precipitable water over the South China Sea from multi-channel
infrared data of FY-4A/AGRI** [11455-92]
- 11455 1X **Study on laser transmission characteristics in propeller particle wake** [11455-94]
- 11455 1Y **An approach of calculating minimal distance between assembled engine pipes based on
scanned cloud points** [11455-95]
- 11455 1Z **Preliminary comparison of high cloud cover between CALIPSO and ECMWF data over the South
China Sea** [11455-96]
- 11455 20 **A multi-frequency binary phase unwrapping method** [11455-97]
- 11455 21 **High-efficient liquid crystal polarization gratings for autostereoscopic 3D display** [11455-99]
- 11455 22 **Mathematical model analysis and realization of auto-alignment system for six-pass amplifying
laser** [11455-100]

- 11455 23 **A study on thermal quenching mechanism in $\text{Sr}_2\text{Si}_5\text{N}_8$:Eu red phosphors with different Eu concentration** [11455-101]
- 11455 24 **Violet and blue laser in rubidium four-wave mixing system** [11455-102]
- 11455 25 **Multi-surface phase separation based on wavelength-tuning phase-shifting interferometry** [11455-103]
- 11455 26 **Strong alkaline etching using SiO_2/CrAu mask for Si-based wafer level packaging** [11455-104]
- 11455 27 **Experimental study on protecting rusting inside an enclosed laser cavity** [11455-105]
- 11455 28 **Simulation of the detection ability of infrared imaging system in high thermal environment** [11455-106]
- 11455 29 **Research of spatiotemporal distribution and albedo of snow** [11455-107]
- 11455 2A **Method for eliminating second harmonic distortion based on modulation phase difference in TDLAS technology** [11455-109]
- 11455 2B **The effect of RF excitation frequency on the spectrum characteristics of rubidium electrodeless lamp** [11455-110]
- 11455 2C **Research on impact between point target image merit and wavefront error** [11455-112]
- 11455 2D **Theoretical study and test analysis of the moving magnet linear motor** [11455-114]
- 11455 2E **Application and effect analysis of plasma stealth technology in hypersonic vehicle** [11455-119]
- 11455 2F **Numerical simulation of thermal effect in fused silica irradiated by nanosecond high repetition rate laser** [11455-120]
- 11455 2G **Ultra-wide-angle infrared multi-target threat sequencing method based on equivalent evaluation factor** [11455-121]
- 11455 2H **Study on aircraft speed measurement method based on computer vision of high-speed camera** [11455-122]
- 11455 2I **Rough registration method for point cloud of spatial non-cooperative target by improving FPFH** [11455-123]
- 11455 2J **Effect of projection directions on the aero-optical effect around conformal turrets** [11455-124]

Part Two

- 11455 2K **Study on mechanical properties of welded structures in ultra-low temperature environment based on DIC** [11455-125]

- 11455 2L **Design and application of a novel fiber optic data bus** [11455-126]
- 11455 2M **A new design for controlling the infrared radiation characteristics of target surface based on electroluminescent material** [11455-127]
- 11455 2N **Surface performance evaluation method of sawing natural diamond** [11455-128]
- 11455 2O **Birefringent plasmonic metasurfaces for demodulating the phase difference of incident light wave** [11455-129]
- 11455 2P **Simulation analysis and optimization design of low frequency wide pulse electric field simulator** [11455-130]
- 11455 2Q **Effect on maximum distance critical value of laser rangefinders with atmospheric turbulence** [11455-131]
- 11455 2R **Experimental on correction of wavefront distortion in coherent optical communication system** [11455-132]
- 11455 2S **GPU-accelerated performance on numerically solving multimode Schrödinger equation** [11455-133]
- 11455 2T **A trident edge coupler for lithium niobate thin film** [11455-134]
- 11455 2U **Geometry-dependent imaging and detection efficiency transformation of the Wolter microchannel plate** [11455-135]
- 11455 2V **A transmission turbidity measurement system with wide dynamic range based on single photon detection technology** [11455-137]
- 11455 2W **Correction of optical lag-angle for monostatic LIDAR sensors** [11455-138]
- 11455 2X **Evaluation of the uncertainty of measurement error of far light intensity indicator in headlamp testers** [11455-139]
- 11455 2Y **Design of miniaturized terahertz camera core based on ASIC** [11455-140]
- 11455 2Z **Continuous measurement of distributed vibration using coherent Rayleigh backscattering** [11455-142]
- 11455 30 **Radiation spectrum simulation analysis of static combustion products of MTV formula grain on ground** [11455-143]
- 11455 31 **Feasibility analysis and design of multi-mode optical switching** [11455-144]
- 11455 32 **A tunable random laser based on lotus leaf** [11455-145]
- 11455 33 **Feasibility analysis of ultra-wide FOV infrared imaging system applied in vehicle auxiliary driving** [11455-146]

- 11455 34 **A flexible UV photodetector based on SnSe₂ QDs and graphene** [11455-147]
- 11455 35 **Research on polarization effects based on distributed fiber optic sensing system** [11455-148]
- 11455 36 **A multi-frame blind deconvolution algorithm with the consistency constraints** [11455-149]
- 11455 37 **Evaluation of the uncertainty of the measurement error of transmittance meter** [11455-152]
- 11455 38 **Dual-band infrared optical system of common optical path with all-reflective folded structure** [11455-153]
- 11455 39 **Electrowetting-based beam deflection controller in three-dimension** [11455-154]
- 11455 3A **White light interference fringe detection based on improved ViBE algorithm** [11455-155]
- 11455 3B **Study on marine targets detection covered in glint** [11455-156]
- 11455 3C **Finite-element-method study of a new type water cooling deformable mirror** [11455-161]
- 11455 3D **Study on a plasmonic tilted fiber Bragg grating sensor for biomolecule AdoHcy detection** [11455-162]
- 11455 3E **Infrared and visible images fusion based on wavelet transform** [11455-163]
- 11455 3F **Comparative study on double-step phase-shifting algorithm for nonlinear phase error compensation** [11455-164]
- 11455 3G **Dynamic 3D shape measurement based on the phase-shifting Moire algorithm** [11455-165]
- 11455 3H **Radiometric optimization of airborne hyperspectral imagery for large-scale geological applications** [11455-166]
- 11455 3I **Research on experimental methods of the melting curve of MC-C large-area high-temperature fixed-point blackbody** [11455-169]
- 11455 3J **Parallel algorithms for conjugate gradient method of adaptive optics** [11455-170]
- 11455 3K **Highly-stablized coherent beam combining of short-pulsed fiber laser using active feedback control loop** [11455-171]
- 11455 3L **Frozen-flow atmosphere wind velocity estimation using a Shack-Hartmann wavefront sensor** [11455-173]
- 11455 3M **Dynamic MTF testing device for TV camera** [11455-174]
- 11455 3N **Measurement of NO₂ using incoherent broadband cavity-enhanced absorption spectroscopy** [11455-176]

- 11455 3O **Research on image filtering algorithm used for laser speckle pattern interferometry deformation measurement** [11455-178]
- 11455 3P **A method for evaluating 3D-TOF camera ranging performance** [11455-179]
- 11455 3Q **Mechanical erosion effect of continuous-wave laser ablation of GFRP under subsonic airflow** [11455-181]
- 11455 3R **A two-step adc architecture for high dynamic range and high sensitivity image sensor** [11455-183]
- 11455 3S **Wavelength modulation photoacoustic spectroscopy using a near-infrared DFB diode laser** [11455-185]
- 11455 3T **100 W, 7 ps hybrid Yb-fiber and Yb:YAG thin-rod MOPA laser** [11455-186]
- 11455 3U **A novel 4nm tunable erbium-doped fiber ring laser based on fiber Bragg grating-assisted add-drop filter** [11455-187]
- 11455 3V **High spatial resolution pushbroom coding imaging spectrometer with a slit-less design** [11455-189]
- 11455 3W **The application of fiber optic assemblies for spaceborne laser altimeter system** [11455-191]
- 11455 3X **Influence of IMU's quality on VIO: based on MSCKF method** [11455-192]
- 11455 3Y **Research on detection method of AOTF polarization spectral target detection based on CEM** [11455-193]
- 11455 3Z **Simulation and experiment of subharmonic method for low-frequency compensation in atmospheric turbulence phase screen** [11455-194]
- 11455 40 **Lossless all-fiber 7x1 signal combiner for beyond 10kW high power operation** [11455-195]
- 11455 41 **Effect of coating process on slope efficiency of twins fiber** [11455-196]
- 11455 42 **Durable dual-wavelength mode-locked pulse generation based on MnPS₃** [11455-197]
- 11455 43 **Numerical simulation of time-dependent thermal blooming** [11455-198]
- 11455 44 **3.3 kW high power single mode fiber laser** [11455-201]
- 11455 45 **Impact of bend-induced mode distortion on mode instability in high power fiber amplifiers** [11455-204]
- 11455 46 **Development of the 2-30 K multistage cryocoolers for space optoelectronic detection applications** [11455-205]
- 11455 47 **Template effect on stability of multi-phase twist structure liquid crystals** [11455-206]

- 11455 48 **Experimental investigation of laser diode side-pumped ultra-short pulse regenerative amplifier** [11455-208]
- 11455 49 **Improving the accuracy of 3D surface reconstruction by controlling height compensation** [11455-209]
- 11455 4A **High sensitivity temperature sensor based on liquid packaged microfiber mode interferometer** [11455-211]
- 11455 4B **Suppression stimulated Brillouin scattering in fibers using a tilted fiber Bragg grating** [11455-212]
- 11455 4C **Research on safety helmet detection method based on convolutional neural network** [11455-214]
- 11455 4D **Single mode 1.6kW pump-gain integrated fiber** [11455-215]
- 11455 4E **Transmission of a dark hollow beam by anti-resonant hollow-core fiber** [11455-216]
- 11455 4F **Research on airborne laser ranging based on APD array** [11455-218]
- 11455 4G **Study on quality distribution characteristics of jujube canopy based on multi-angle hyperspectral polarization** [11455-219]
- 11455 4H **Design and simulation of LQR controller based on fast steering mirror used in compound-axis system** [11455-222]
- 11455 4I **Research on influence of thermal expansion of rope wheel in rope transmission on system accuracy** [11455-223]
- 11455 4J **Wideband and polarization-independent silicon waveguide to plasmonic waveguide mode converter based on optimization algorithms** [11455-224]
- 11455 4K **Measurement error of MCP current gain of low-light-level image intensifier** [11455-225]
- 11455 4L **Reveal the cause of the formation of gravity** [11455-226]
- 11455 4M **Long-term autonomous vicarious calibration of VIS-NIR channels of MODIS** [11455-227]
- 11455 4N **Novel black phosphorus saturable absorber based all-fiber lasers generating cylindrical vector beam pulses** [11455-228]
- 11455 4O **Design and analysis of distributed semi-active laser detection system** [11455-229]
- 11455 4P **InGaAs/InP PIN photodetectors based on micropillar arrays** [11455-230]
- 11455 4Q **1.12Tbit/s (10×112Gbit/s) coherent free space optical communication using DP-QPSK and WDM technology** [11455-231]

- 11455 4R **Band-pass photonic filter based on a ring resonator assisted with an asymmetric MZI**
[11455-232]
- 11455 4S **Numerical investigation on characteristics of filamentation by intense femtosecond positive temporal Airy pulses** [11455-233]
- 11455 4T **Evaluating the aerosol product from Himawari-8 over coastal zone** [11455-234]
- 11455 4U **Laser parameters dependence of pulse laser surface treatment of silicon** [11455-235]
- 11455 4V **Research on the effect of receiver dead time of the performance photon counting Lidar**
[11455-236]
- 11455 4W **The color correction method based on dark channel prior and sub-region correction for EMCCD** [11455-238]
- 11455 4X **A 5V 10ppm/°C CMOS bandgap voltage reference with wide operation temperature range**
[11455-239]
- 11455 4Y **Concept design and performance estimation of a sodium laser guide star adaptive optics system for field demonstration** [11455-241]
- 11455 4Z **Self-powered 3D TIs Bi₂Te₃ thin film/pentacene heterojunction photodetector with broadband response** [11455-242]
- 11455 50 **Failure mechanism analysis for a state-convertible SLD failure mode** [11455-243]
- 11455 51 **High-speed InGaAs drift-enhanced photodetectors** [11455-244]
- 11455 52 **Optical design of vehicle-mounted infrared imaging system based on free-form prism**
[11455-245]
- 11455 53 **Modeling and analysis on beaconless acquisition of laser communication** [11455-248]
- 11455 54 **Application of proper orthogonal decomposition method in spray images processing of gas-liquid coaxial injector** [11455-249]
- 11455 55 **Design of miniature data acquisition system for atmospheric detection lidar based on ZYNQ**
[11455-250]
- 11455 56 **Silicon hybrid photodetector based on die-to-die bonding** [11455-251]
- 11455 57 **Generation of high-order orbital angular momentum modes with a double-trench SOI waveguide** [11455-252]
- 11455 58 **A method for testing the infrared spectral radiation of aircraft engine exhaust plume**
[11455-253]
- 11455 59 **A fast image defogging method** [11455-254]

- 11455 5A **Design of long depth of field microscope lens for medium format** [11455-255]
- 11455 5B **The effects of centroid anisoplanatism on measuring and mitigating tip-tilt disturbance**
[11455-256]
- 11455 5C **An intrinsic-stabilization polarization encoder for quantum key distribution** [11455-257]
- 11455 5D **A multi-stage high resolution sub-wavelength arrayed waveguide grating** [11455-258]
- 11455 5E **Statistical analysis of atmospheric conventional parameters in coastal area of Qingdao**
[11455-259]

Part Three

- 11455 5F **A method for rapid generation of 3D infrared radiation intensity field of engine exhaust plume**
[11455-260]
- 11455 5G **Measurements on LP modes of the photonic lantern** [11455-261]
- 11455 5H **Experimental study on high temperature regeneration of fiber Bragg grating** [11455-262]
- 11455 5I **Design of high stiffness self-collimating light pipe** [11455-264]
- 11455 5J **Design of satellite Q/V band microwave photonics mixer** [11455-265]
- 11455 5K **Infrared window aerodynamic thermal radiation effects** [11455-266]
- 11455 5L **Comparison and improvement of time-of-flight demodulation devices** [11455-267]
- 11455 5M **Radar photoelectric integrated system LSS target detection and recognition research**
[11455-268]
- 11455 5N **The effective lifetime of Nd upper level for Cr/Nd:YAG ceramic under tunable pulsed dye laser**
[11455-269]
- 11455 5O **Rapid and accurate detected laser system using on UVA** [11455-272]
- 11455 5P **Study on the technology of the helicopter-borne laser obstacle avoidance radar** [11455-273]
- 11455 5Q **Development and observational studies of scanning coaxial Mie lidar** [11455-275]
- 11455 5R **Research on airborne wireless laser communication technology** [11455-276]
- 11455 5S **Research on dynamic performance test method of laser alarm/infrared interference system**
[11455-278]

- 11455 5T **Research on high sensitivity test technology of single photon remote detection system** [11455-279]
- 11455 5U **Study on the system of high precision optical axis measurement in wide temperature range** [11455-280]
- 11455 5V **Study on error of Lidar extinction coefficient based on scattering ratio iteration method** [11455-281]
- 11455 5W **Thermal effects in thin-rod single crystalline fiber laser** [11455-283]
- 11455 5X **Photonic approach to the implementation of frequency diverse array** [11455-284]
- 11455 5Y **Reflection grating spectrometer based on AOTF** [11455-285]
- 11455 5Z **A new reconfigurable link for data center communication network using free space optics** [11455-286]
- 11455 60 **Fusion algorithm of infrared image and visible image based on the characteristics of target area** [11455-287]
- 11455 61 **Enhancement and denoising algorithm of infrared detection image based on guided filter** [11455-288]
- 11455 62 **Development and application of multi-degree of freedom line-angle composite vibration system** [11455-289]
- 11455 63 **Design of infrared guiding source for laser cooperative target** [11455-290]
- 11455 64 **A simulation test equipment of biaxial low frequency angle disturbance** [11455-291]
- 11455 65 **Design of a high stable angle motion simulator for infrared/visible targets** [11455-292]
- 11455 66 **Based on hyperspectral polarization to build the quantitative remote sensing model of jujube in Southern Xinjiang** [11455-293]
- 11455 67 **Design and analysis of high-power thermostatic control system based on TEC** [11455-295]
- 11455 68 **Measuring the topological charge of vortex beams by using Shack-Hartmann wavefront sensor with sector microlens array** [11455-296]
- 11455 69 **SIFT in GMS-selected areas: a method for feature point matching between photographs and rendered images** [11455-298]
- 11455 6A **RoF system of GFDM and OFDM based on geometric shaping 16QAM** [11455-300]
- 11455 6B **Effect of atmospheric refraction on limb detecting** [11455-302]

- 11455 6C **The seed injection Nd: YAG laser frequency stabilization based on the molecular iodine absorption [11455-303]**
- 11455 6D **Photonic generation of phase-coded chirp microwave waveform by an improved frequency-sweeping optoelectronic oscillator [11455-304]**
- 11455 6E **Sub-surface damage layer of microchannel plate in optical processing [11455-305]**
- 11455 6F **Widely tunable optical filters based on silicon microring resonators [11455-306]**
- 11455 6G **Designs of compact off-axis three-mirror afocal optical system [11455-307]**
- 11455 6H **Zemax-based compact dual telecentric lens design [11455-308]**
- 11455 6I **Design of a ultra-high definition lens [11455-309]**
- 11455 6J **Ultra-wide-angle underwater detection lens design [11455-310]**
- 11455 6K **Simulation research on scattering characteristics of incident electron under uniform doping of EBCMOS substrate [11455-311]**
- 11455 6L **Effect of different high temperature melting processes on spectral properties of Yb doped lithosilicate glass [11455-312]**
- 11455 6M **Simulation analysis of electron multiplication layer charge collection efficiency in EBCMOS devices [11455-313]**
- 11455 6N **Estimation of Total Suspended Particles (TSP) mass concentration based on sun sky photometer and lidar [11455-314]**
- 11455 6O **Selected spectrum transmission of NOLM under DS and DSR mode-locking states [11455-315]**
- 11455 6P **Analysis of size distribution characteristics of fine atmospheric aerosol in typical sea areas [11455-316]**
- 11455 6Q **Tunable operation of an intracavity-frequency-doubled optical parametric oscillator [11455-317]**
- 11455 6R **Dynamic measurement method for pointing accuracy of communication antenna based on multi-view stereo vision [11455-319]**
- 11455 6S **Research on chip thinning technology [11455-320]**
- 11455 6T **Study on millimeter wave interference property of carbon fiber and expanded graphite [11455-322]**
- 11455 6U **Optimizing active fiber lengths in different pump ratios of hybrid wavelength pumped fiber amplifier [11455-323]**

- 11455 6V **Experimental research on high power tandem pumped fiber laser with homemade gain fiber** [11455-325]
- 11455 6W **Design and implementation of LED voice communication system for crime prevention lighting** [11455-326]
- 11455 6X **Spatially modulated full polarization imaging method based on matched filtering** [11455-327]
- 11455 6Y **Hydrogen terminated diamond diode with high breakdown voltage** [11455-328]
- 11455 6Z **Innovative concept of small satellite bus for deep space exploration** [11455-329]
- 11455 70 **Design of optical axis jitters rejecting controller with lag compensator** [11455-330]
- 11455 71 **Design principles of equatorial satellite for the concerns of space debris** [11455-331]
- 11455 72 **High quality morphology and high Hall mobility of GePb alloys formed by using implantation and annealing process** [11455-334]
- 11455 73 **Ultra-thin benzocyclobutene bonding of InGaAs PIN photodetector onto silicon photonic chip** [11455-335]
- 11455 74 **Part-based long-term tracking via multiple correlation filters** [11455-336]
- 11455 75 **Modified OMP based sparse representation for multi-sensor images fusion** [11455-337]
- 11455 76 **Spray droplet size characterization based on digital image analysis** [11455-338]
- 11455 77 **Liquid concentration detection based on light interference pattern analysis** [11455-339]
- 11455 78 **Design of optical system for laser removal of foreign bodies in high voltage transmission line** [11455-340]
- 11455 79 **Performance analysis of amplify and forward serial relaying coherent OFDM FSO system based on M distribution** [11455-341]
- 11455 7A **Experimental study on ablation of polymer foreign bodies on high-voltage transmission lines by CW laser in rain and fog** [11455-342]
- 11455 7B **CMOS compatible broadband graphene/silicon nanocrystals photodetectors** [11455-343]
- 11455 7C **Applicability analysis of multi-rotor UAV to detect meteorological elements in the near-surface layer over the Tibetan plateau** [11455-344]
- 11455 7D **The combination of new technology and research status of simultaneous location and mapping** [11455-345]
- 11455 7E **A smart ring-doped fiber laser with tunable beam profile** [11455-346]

- 11455 7F **Research on simulation of the background radiation of lidar** [11455-347]
- 11455 7G **The impact of quenching resistor on single photon detection performance of 4H-SiC APD**
[11455-348]
- 11455 7H **Plant leaf point cloud completion based on deep learning** [11455-349]
- 11455 7I **Detection of marine metal elements by LIBS based on passive Q-switched laser** [11455-350]
- 11455 7J **Image stitching by points grouping and mesh optimization** [11455-351]
- 11455 7K **Dynamic structure evolution of GO examined by in-situ inferred spectra** [11455-352]
- 11455 7L **Technical development of microwave photonic** [11455-353]
- 11455 7M **A dense optical flow registration algorithm based on deep learning** [11455-354]
- 11455 7N **Temporal frequency study on stimulated Raman scattering induced mode instability in high power fiber lasers** [11455-355]
- 11455 7O **Coherent polarization beam combining of three lasers using phase-to-amplitude modulated optical heterodyne phase-locking technique** [11455-356]
- 11455 7P **A cost-effective method to fabricate spectral-response anti-reflective films by using silicon nano pillar** [11455-357]
- 11455 7Q **Theoretical study on the diffracted-beam positional deviation of diffractive optical elements**
[11455-358]
- 11455 7R **High sensitivity ranging of photon counting lidar with two-dimensional modulation** [11455-359]
- 11455 7S **Continuous-wave THz imaging system using microwave photonic double sideband modulation**
[11455-364]
- 11455 7T **A wavefront control method based on active disturbance rejection control technology**
[11455-361]
- 11455 7U **Real-time point cloud registration for flexible hand-held 3D scanning** [11455-362]
- 11455 7V **Review of three-dimensional environment information perception and reconstruction methods for mobile robot based on multi-sensor fusion** [11455-367]
- 11455 7W **300 GHz vector imaging system based on self-mixing detection** [11455-368]
- 11455 7X **A refractive index sensor based on fiber cavity ring-down spectroscopy** [11455-369]
- 11455 7Y **Absolute calibration of the PMT detector based on parametric-down-conversion** [11455-370]

- 11455 7Z **Target detection method for polarization imaging based on convolutional neural network** [11455-371]
- 11455 80 **Hybrid integration of InP-based DFB laser and Mach-Zehnder electro-optic modulator by using waveguide end-face coupling** [11455-372]
- 11455 81 **Research on the imaging properties of x-ray and EUV based on radial array square hole microchannel plate** [11455-373]
- 11455 82 **DSP-based harmonic expansion preprocessing for high-precision frequency estimation** [11455-374]
- 11455 83 **High speed high dynamic range digital ROIC for LW infrared FPAs** [11455-375]
- 11455 84 **A micro-scale self-starting femtosecond passively mode-lock fiber laser used in ICF** [11455-379]
- 11455 85 **Optical design of laser scanning vehicle AR-HUD with curve imaging surface** [11455-380]
- 11455 86 **Study on laser performance of Er: YSGG crystal laser pumped by pulse power xenon lamp** [11455-381]
- 11455 87 **Design and fabrication of cantilevered fiber-to-waveguide mode size converter for thin-film lithium niobate photonic integrated circuits** [11455-382]
- 11455 88 **An ultra-low phase noise and spurs injection locked 10 GHz dual-loop optoelectronic oscillator** [11455-383]
- 11455 89 **Research on laboratory spectral calibration method of two-dimensional spatial heterodyne spectrometer** [11455-384]
- 11455 8A **Evolution of orbital angular momentum of LG beam in pneumatic turbulent flow** [11455-385]
- 11455 8B **Design and application of DMD-based infrared dynamic scene projector** [11455-386]
- 11455 8C **Correction algorithm of atmospheric NO₂ concentration caused by heavy aerosol load in differential absorption Lidar** [11455-387]
- 11455 8D **Research on laser ranging technology based on chaotic pulse position modulation** [11455-388]
- 11455 8E **Design of infrared detection sensitivity test system based on double black body** [11455-389]
- 11455 8F **Design of receiving sensitivity test system for pulse laser range finder based on integrating sphere** [11455-390]
- 11455 8G **Design of large-diameter optical axis translation device** [11455-392]
- 11455 8H **Automatic test system design based on generalization platform** [11455-393]

- 11455 8I **Design of high-intensity dual-band medium-wave infrared radiation simulator [11455-395]**
- 11455 8J **High peak power narrow-linewidth linearly polarized all-fiber nanosecond laser [11455-396]**
- 11455 8K **Temperature compensation technology of speckle structured light based on BP neural network [11455-397]**

Start by marking "International Symposium on Photoelectronic Detection and Imaging 2007, Optoelectronic System Design, Manufacturing, and Testing: 9-12 September 2007, Beijing China" as Want to Read: Want to Read saving... We'd love your help. Let us know what's wrong with this preview of International Symposium on Photoelectronic Detection and Imaging 2007, Optoelectronic System Design, Manufacturing, and Testing by Liwei Zhou. Problem: It's the wrong book It's the wrong edition Other. This symposium is the sixth installment of a highly successful biennial series that began in 2007. It presents the latest research in semiconductor nanostructures and their applications to electronic, optoelectronic and photonic devices. It covers all aspects from fundamental nanostructure fabrication and material development, to device integration and performance evaluation. We also strive for a balance between experimental work and theoretical research. Scope: N Semiconductor nanostructures towards electronic and opto-electronic device applications VI (SEMICONDUCTORS). O Wide bandgap semiconductors for LEDs, solar and related energy technologies (SEMICONDUCTORS). P. ABSTRACT Leak detection and monitoring on subsea structures, e.g. subsea tree and subsea processing systems (SPS), is an area of increasing interest regarding production and control fluids in the oil and gas industries. Current techniques, such as c. Oil Industry Journal Petroleum Technology Petrophysics Professional Safety PRoneft Journal Society of Petroleum Engineers Journal SPE Advanced Technology Series SPE Computer Applications SPE Drilling Proceedings Volume 11455, Sixth Symposium on Novel Optoelectronic Detection Technology and Applications; 114557G (2020) <https://doi.org/10.1117/12.2565350> Event: Sixth Symposium on Novel Photoelectronic Detection Technology and Application, 2019, Beijing, China. Article. Figures & tables. In this letter, an avalanche photodiode (APD) for ultraviolet detection was fabricated on a 4H-SiC epi-layer with a radius of 150 μm . By adopting passive quenching method, the impact of quenching resistor on single photon detection performance of the fabricated APD was investigated for the first time. It is found that both dark count rate (DCR) and single photon detect efficiency (SPDE) were reduced with the increasing quenching resistance.